

WINDUS
AIR COOLERS FROM

 **BLUE STAR**



**CROSS
DRIFT**
TECHNOLOGY

THE COOLER THAT'S COOLER THAN
EVERY OTHER COOLER



NEW 2019 RANGE

Windus Air Cooler from Blue Star

Blue Star is India's leading air conditioning expert. With 7 decades of experience in cooling homes and offices, Blue Star has extended its presence in the air cooler category with the Windus range.

Blue Star's products are well-renowned for their Quality, Durability and Reliability. The investment and effort put into designing products that suit the harsh climatic conditions of the Indian sub-continent have ensured they perform in a trouble-free manner for years.




Windus Air Cooler's Unique Features



Cross Drift Technology

Cross Drift is a Unique method to enhance the cooling efficiency in Air Cooler. The Hexagonal design allows the water to travel maximum area which results in enhanced and faster cooling with minimum water consumption.



Hybrid Cooling Technology

Unique Hybrid Cooling Technology enhances the cooling efficiency of the Air cooler. Hot air passes through a combination of both Honeycomb & Wood Wool Pads to reduce the temperature and blow cool air into the room.




Ioniser Purification

Unique air purification technology gives protection from harmful bacteria and allergens to give fresh and purified cool air.



PM2.5 Silver Nano Purification

Nano-silver impregnated, activated carbon fabric filter, filters the air upto PM2.5* which delivers clean and purified* air free from bacteria and allergens.



UV Protect Coat

Aerodynamic design with UV protected plastic body, unique technology that can protect Air Cooler body colour from direct sunlight.



Remote Control Operation

Facilitate for easy and convenient mode of operation, which can be controlled from a set distance.



Windus Air Cooler's Smart Features



Wide Angle Air Flow

Louvers are designed to deliver a 'breeze effect' at wide angle. Vertical louvers automatically move horizontally so as to cover maximum area and cool both faster and more effectively.



Mosquito/ Dust Filter

Mosquito / Dust filter, filters larger particles that enter inside the Air cooler that enhance the life of the Air Cooler.



Cord Winder

Desired slot to wind the Electric Cord in a proper manner to have hassle free usage.



Anti-Drip Mechanism

Unique mechanism prevents unwanted dripping sound effect generated by the cooler when the water falls from the Honeycomb pad to the water tank, and thus provides a sound less cooling experience.



High Efficient Honeycomb Pad with Anti-Microbial Property

Special cellulose paper with anti-microbial properties to provide balanced cooling. They are capable of absorbing and retaining water to deliver maximum cooling efficiency at lowered water consumption.



Ice Chamber

Embedded with ice chamber facility where user can pour ice cubes to boost the cooling experience.



Touch Panel

Gives the user a world-class seamless experience while operating and giving inputs to the Air Cooler.



Digital Display

Intelligence feature that helps set the operating time in form of digits on digital display panel.



Timer

Operating time can be controlled with different preset time options from 1, 3, 5, 7 hours to give an uninterrupted optimum cooling as per desired time limit.



Automatic Louver Movement

Automatic vertical louvers move horizontally to cover wider area for better and uniform cooling.



Works on Inverter

Compatible with Inverter operation to provide cool air without any interruption from power cuts.



Thermal Overload Protection

Unique technology which protect Fan motor and the Pump motor from over heating, thus provide long life to the Pump motor and Fan motor from any damage.



Autofill

Unique mechanism to refill the water tank automatically when the water level goes below the required level. Ensures the tank remain full with water to have uninterrupted cooling and free from refilling the tank frequently.



Multiple Fan Speed

Provided with 3 speed fan option as High, Medium and Low to maintain optimum comfort level.



Easy Clean

Easy Openable Locking back grill, makes it effortless to clean the Air Cooler from inside.



Castor Wheels

Castor wheels for easy mobility.

TOWER AIR COOLER



PA35LMA | 35 Litre

- Fastest and Efficient Cooling, Air Flow 900 m3/hr
- High Efficient Honeycomb Pad with Anti-Microbial Property
- Thermal Overload Protection
- Manual Knob Function
- Works on Inverter



UV Protect Coat



Mosquito Dust Filter Protection



Cord Winder



Easy Clean



Ice Chamber

DESERT AIR COOLER



DA60EEA | 60 Litre

- Fastest and Efficient Cooling, Air Flow 3500 m3/hr
- High Efficient Honeycomb Pad with Anti-Microbial Property
- Cross Drift Technology
- Digital Display
- Empty Tank Alarm



PM2.5 Silver Nano Purification



Mosquito Dust Filter Protection



Cord Winder



Timer



Ioniser Purification



DA60EMA | 60 Litre BS-AR60DA | 60 Litre



- Fastest and Efficient Cooling, Air Flow 3500 m3/hr
- High Efficient Honeycomb Pad with Anti-Microbial Property
- Cross Drift Technology
- Thermal Overload Protection
- Manual Knob Function



PM2.5 Silver Nano Purification



Mosquito Dust Filter Protection



Thermal Overload Protection



Works on Inverter




Autofill

Colours Available

DA60EMA

BS-AR60DA

DESERT AIR COOLER



DA55PMA | 55 Litre DA75PMA* | 75 Litre

- Fastest and Efficient Cooling, Air Flow 4000 m³/hr
- Hybrid Cooling (Honeycomb + Wood Wool) Technology
- Thermal Overload Protection
- Manual Knob Function
- Automatic Louver Movement



Wide Angle
Air Flow



Castor
Wheel



Ice
Chamber



Works on
Inverter



Autofill

*Also available in 'BS-ARD75Hybrid' Model



18"
Fan Size

Slim Desert
Air Cooler

DA35LMA | 35 Litre (Slim Desert Cooler) DA60LMA* | 60 Litre

- Fastest and Efficient Cooling, Air Flow 3900 m³/hr / 4700* m³/hr
- High Efficient Honeycomb Pad with Anti-Microbial Property
- Thermal Overload Protection
- Manual Knob Function
- Works on Inverter



UV Protect
Coat



Wide Angle
Air Flow



Cord
Winder



Easy
Clean



Ice
Chamber

Colours Available



WINDOW AIR COOLER



OA60LMA | 60 Litre

- Fastest and Efficient Cooling, Air Flow 1600 m³/hr
- High Efficient Honeycomb Pad with Anti-Microbial Property
- Thermal Overload Protection
- Manual Knob Function
- Works on Inverter



UV Protect
Coat



Wide Angle
Air Flow



Cord
Winder



Easy
Clean



Ice
Chamber

TECHNICAL SPECIFICATIONS



	TOWER AIR COOLER	SLIM DESERT AIR COOLER	DESERT AIR COOLER	DESERT AIR COOLER	DESERT AIR COOLER	DESERT AIR COOLER	DESERT AIR COOLER	DESERT AIR COOLER	WINDOW AIR COOLER
MODEL NAME	PA35LMA	DA35LMA	DA55PMA	DA60LMA	BS-AR60DA	DA60EMA	DA60EEA	DA75PMA*	OA60LMA
Tank Capacity in Ltr	35	35	55	60	60	60	60	75	60
Air Delivery (m3/hr)	900	3900	4000	4700	3500	3500	3500	4000	1600
Input Power in Watts	140	190	190	175	200	200	200	190	300
Fan/Blower	Blower	Fan	Fan	Fan	Fan	Fan	Fan	Fan	Blower
Cooling Medium	Anti-Microbial Honeycomb Pad	Anti-Microbial Honeycomb Pad	Hybrid Pad (Honeycomb + Wood Wool)	Anti-Microbial Honeycomb Pad	Anti-Microbial Honeycomb Pad	Anti-Microbial Honeycomb Pad	Anti-Microbial Honeycomb Pad	Hybrid Pad (Honeycomb + Wood Wool)	Anti-Microbial Honeycomb Pad
Motor RPM	1275	1360	1350	1350	1350	1350	1350	1350	1200
Cooling Technology	Drip	Drip	Drip	Drip	Cross Drift	Cross Drift	Cross Drift	Drip	Drip
Purification*	Dust Filter	NA	NA	NA	Dust + PM 2.5 Silver Nano	Dust + PM 2.5 Silver Nano	Dust + PM 2.5 Silver Nano	NA	NA
Special Coating*	UV Protect	UV Protect	NA	UV Protect	UV Protect	UV Protect	UV Protect	NA	UV Protect
Water Level Indicator	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Water Inlet	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Speed Control	3 Speed	3 Speed	3 Speed	3 Speed	3 Speed	3 Speed	3 Speed	3 Speed	3 Speed
Works on Inverter	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Horizontal Louver Movement	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual
Vertical Louver Movement	Auto	Auto	Auto	Auto	Auto	Auto	Auto	Auto	Auto
Control Type	Manual	Manual	Manual	Manual	Manual	Manual	Feather Touch & Remote Control	Manual	Manual
Tank Fill	Manual	Manual	Autofill	Manual	Autofill	Autofill	Autofill	Autofill	Manual
Cord Winder	Yes	Yes	No	Yes	Yes	Yes	Yes	No	Yes
Ice Chamber	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Castor Wheels	Yes(4)	Yes(4)	Yes(4)	Yes(4)	Yes(5)	Yes(5)	Yes(5)	Yes(4)	NA
Thermal Overload Protection	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Net Weight in Kg	10.5	15	15.02	17	19.1	19.1	19.5	15.6	13.8
Gross Weight in Kg	13.1	18.3	18.89	21.2	24.15	24.15	24.2	19.45	17.2
Net Dimension (WxDxH) in mm	386 x 370 x 1220	610 x 400 x 1040	610 x 405 x 1100	655 x 520 x 1045	520 x 645 x 1150	520 x 645 x 1150	520 x 645 x 1150	610 x 405 x 1170	640 x 500 x 655
Gross Dimension (WxDxH) in mm	430 x 375 x 1190	675 x 410 x 1103	685 x 475 x 1190	710 x 560 x 1060	590 x 680 x 1205	590 x 680 x 1205	590 x 680 x 1205	685 x 475 x 1260	715 x 560 x 695

#Also available with BS-ARD75 Hybrid.

*In Closed environment. Under Standard test conditions of the component. As a continuing policy of product management at Blue Star Limited, the model, design and specifications are subject to change without prior notice. Images shown are for reference only, actual product may vary.



SCAN QR CODE -
BLUE STAR
CUSTOMER CARE
MOBILE APP



FOR SERVICE,
SMS "SERVICE"
TO 57575



24X7 CUSTOMER CARE
(Toll Free) 1800 209 1177
1860 266 6666



To know more about Blue Star, visit
www.bluestarindia.com, email us at
coolingsolutions@bluestarindia.com
or SMS COOL to 57575